

EN L









### **ABOUT EMS GROUP**

EMS Group <sup>®</sup> manufactures and supplies the best quality hydraulic vibratory hammers and power packs for global market. We support services and operation of processing as well as the spare parts. We are well-known in our marketleading vibratory hammer range. We have ability to implement, manage and maintain the all steps of manufacturing vibratory hammers and power packs. We are an internationally operating company and determined to become one

of the biggest manufacturer in the hydraulic vibratory hammers sector since 2009. Diligence : We use due diligent practices and efficiency in our manufacturing processes. We improve our group continuously and we will secure the growth of our group in the long term.

Technology: We secure our technological capacity by high product quality, constant innovations of products as well as manufacturing processes. We devote ourselves to manufacture high quality products, ensuring the longevity.

People : We have valuable, honest and team-oriented shop floor with transparent management. The opinions and experience of our employees are very important to make decision about the process. We are doing our best for stable partnership with our customers. Our Goal : We are determined to reach our goal by the quality management of the EMS group. Our policy is to supply our customers with high-quality products meeting all technological standards and requirements

Market : We are fully aware of that we must maintain and improve our competitive position by always increasing the guality of our services. The guality is determined by the material used, labor costs and financial power i.e. Our guality management is in charge of executing quality control at all levels. Each employee of the EMS group has to be integrated by management in all execution. Each employee of our company takes the responsibility for the quality of his work. Our quality is assured by the close communication between our teams.



ABOUT OSTIMEX
Ostimex is a foreign trading company in Ankara ,TURKEY.
Ostimex established longer and closer working relationships with our customers and suppliers not only provide immediate and reliable service but to continually exceed expectations and goals.

Ostimex creating commercial flows, import and export products, arranging and managing international projects with our partners. By means of our network, we are able to integrate all these functions with our experience. Our numerous competencies allow us to respond to the needs of industries looking for a new market. We look forward to welcoming you to our company in Turkey.






## ESF2ONF (Normal Frequency) Free Hanging Crane Suspended Vibratory Hammer


ESF20NF is Normal Frequency vibratory hammer with gear box cooling system as standard. As it is Normal Frequency it is operated by PS300 power pack. The FCM100 sheet pile clamp and 2xPCM60 pipe clamp can be mounted.

Centrifugal Force	
Eccentric Moment	
Speed	
Pulling Force	
Total Weight (Without Clamp)	
Dynamic Weight	
Amplitute	
Power	
Displacement	
Working Pressure	
Height	
Width	
Length	



kN	562
kgm	20
rpm	1600
kN	320
kg	3650
kg	2500
mm	16
kW	137
liter/min	275
bar	300
mm	2325
mm	755,2
mm	1875









ESF23NF is Normal Frequency vibratory hammer with gear box cooling system as standard. As it is Normal Frequency it is operated by PS350 power pack. The FCM100 sheet pile clamp and 2xPCM60 pipe clamp can be mounted.

Centrifugal Force	kN	645
Eccentric Moment	kgm	23
Speed	rpm	1600
Pulling Force	kN	645
Total Weight (Without Clamp)	kg	3850
Dynamic Weight	kg	2550
Amplitute	mm	18
Power	kW	137
Displacement	liter/min	275
Working Pressure	bar	300
Height	mm	2325
Width	mm	755,2
Length	mm	1875










mounted.


Centrifugal Force
Eccentric Moment
Speed
Pulling Force
Total Weight (Without Cla
Dynamic Weight
Amplitute
Power
Displacement
Working Pressure
Height
Width
Length

# ESF55NF Free Hanging Crane Suspended Vibratory Hammer


ESF55NF is Normal Frequency vibratory hammer with gear box cooling system as stan- dard. As it is Normal Frequency it is operated by PS600 power pack. The FCM180 sheet pile clamp and 2xPCM100 pipe clamp can be



	kN	1545
	kgm	55
	rpm	1600
	kN	800
amp)	kg	7780
	kg	4600
	mm	24
	kW	412
	liter/min	600
	bar	350
	mm	2722,5
	mm	797,3
	mm	3015











# ESF14HF Free Hanging Crane Suspended **Vibratory Hammer**

ESF14HF crane mounted high frequency vibratory hammer with gear box cooling system is designed for sheet pile or steel tube driving projects in hard soil conditions. ESF14 HF is operated by PS350 Power Pack. The dimensions are designed for easy transport. 1xFCM90 Sheet Pile and 2xFCM60 pipe clamp can be mounted.



kN	743
kgm	14
rpm	2200
kN	320
kg	3750
kg	2400
mm	12
kW	189
liter/min	322
bar	300
mm	2185
mm	405
mm	1875
	kgm rpm kN kg kg mm kW liter/min bar bar mm mm









Centrifugal Force	kN	2177
Eccentric Moment	kgm	55
Speed	rpm	1900
Pulling Force	kN	800
Total Weight (Without Clamp)	kg	7780
Dynamic Weight	kg	4600
Amplitute	mm	24
Power	kW	412
Displacement	liter/min	600
Working Pressure	bar	350
Height	mm	2722,5
Width	mm	797,3
Length	mm	3015

# ESF55 C Free Hanging Crane Suspended **Vibratory Hammer**

ESF55C is High Frequency vibratory hammer with gear box cooling system as standard. As it is High Frequency it is operated by PS600 power pack. The FCM180 sheet pile clamp and 2xPCM100 pipe clamp can be mounted. This model is specially designed for hard-clay ground formations.







### Hydraulic Power Packs

Our PS Series Power Packs not only for vibratory hammers but also for many different industrial applications like vessels and dam projects. Our engineering team always design our PS Series power packs according to the transport dimensions internationally recognised.


We manufacture hydraulic PS series power packs. The advantage of our hydraulic power packs is that we install open - circuit lines inside the cabin. The open - circuit line is always better to make quick repair and reducing the cost of repairs when compared with close - circuit systems.

We apply special isolation walls inside the cabins to prevent hot or cold weather conditions bad effects.

We always use top-brand quality pumps and diesel engines in our power pack systems like Rexroth and Volvo Penta diesel engines.









The standard PS series Power Packs have cable-remote control systems as standard 15 mt. We offer also wireless remote control systems as optional. Each units have operator emergency stop buttons to help operator when needed.

All of the PS series Power Packs has cooling systems both for hydraulic oil and gear box cooling. The user friendly control panel in all PS Series Power Packs helps operator to understand and check all system status clearly.

## 

### FCM & PCM Series Clamps

We manufacture the clamps out of solid steels not to let happen any crack during application. FCM amd PCM series clamps are specially designed for ESF Series Vibratory Hammers on the other hand, we can also manufacture clamps for any other brand vibratory hammers.

Č			
M 15	15 tons clamp	20 mm Mouth	Suitable for ESF1B
M 30	30 tons clamp	28 mm Mouth	Suitable for ESF2B - ESF3B - ESF4B
M 60	60 tons clamp	40 mm Mouth	Suitable for ESF6B
M 75	75 tons clamp	40 mm Mouth	Suitable for ESF7B
M 90	90 tons clamp	55 mm Mouth	Suitable for ESF8B - ESF12B
1 100	100 tons clamp	45 mm Mouth	Suitable for ESF20NF - ESF23NF
1 180	180 tons clamp	70 mm Mouth	Suitable for ESF55C - ESF55NF









### FACTORY:

EMS GROUP Hydraulic Machine Ind. Co. Ltd. Ari Sanayi Sitesi 1472. Cad. No: 103 Ivedik - Yenimahalle / ANKARA / TURKEY Tel: +90.312 394 75 05 • Fax: +90.312 394 75 06 www.emsgroup.com.tr • info@emsgroup.com.tr OSTIMEX Joint Stock Company Serhat Mah. 1354. Cad. 1395. Sk. No: 6 Ivedik - Yenimahalle / ANKARA / TURKEY Tel: +90.312 395 79 79 • Faks: +90.312 395 79 76 www.ostimex.com.tr • info@ostimex.com.tr

